[FICTION SYSTEM]

[TECHNICAL SPECIFICATIONS]

H3: Diffusore H3 Loverbass

System type: 3-WAY HORN-LOADED LOUDSPEAKER

Sound pressure: 146 dB peak SPL

Frequency response: 65 Hz – 19 kHz (-6 dB) Half Space

Dispersion (H x V): 40° × 60° (-6dB)

Power handling: 1710 W aes / 6840 W Peak

Sensitivity (2.83V/1m): LF: 103 dB – MF: 106 dB – HF: 112 dB

Total power output: 4000 W rms

Power consumption: 600 W

Bi221: Diffusore Bi221 Loverbass

System type: SUBWOOFER DUAL 21” HYBRID HORN BAND-PASS

Sound pressure: 147 dB peak SPL

Frequency response: 23 Hz – 120 Hz (-6 dB) Half Space

Power handling: 3600 W aes / 16.000 W Peak

Sensitivity (2.83V/1m): 104.5 dB

Total power output: 2 × 3000 W rms at 8 Ohm

Power consumption: 1200 W

[SUMMARY]

Fiction System is a high performance Sound System consisting of **2x H3 Full Range** 3-Way Horn-Loaded Loudspeaker and **2x Bi221 Dual 21”” Subwoofer** with Hybrid Horn Bandpass design.

This system is engineered for **maximum efficiency, precision and raw impact -** reaching the full spectrum of frequencies in an utmost perfect and efficient sound reproduction - bringing every situation to its peak.

We speak about a range from 23 Hz to 19 kHz - from warm deep hitting bass to crisp clear highs. Offering a total power output of **approximately 20 kW**, with **10 kW AES power handling**, the Fiction System achieves an impressive pressure point of **147 dB peak SPL**.

Its **elegant yet aggressive design**, combined with its **massive presence**, creates a distinctive and commanding visual and sonic impact.

[ABOUT]

Fiction System is born out of the desire to bring clear and impressive sonic reproduction into every kind of cultural dynamic. It promotes community, art and cultural evolution - a passion the two leading heads of the sound system breath day by day.

It is not just a soundsystem but a medium to spread the message of always trying to reach the best possible output.

Fiction System is a sonic experience.


[FICTION]
SOUND & CULTURE